



# GRID PLUS

## RANGE INTRODUCTION

Grid Plus is a modular switching and monitoring system in a choice of attractive finishes to match complementary accessory ranges.

The comprehensive range of modules includes switches, indicators, dimmers, secret key switches, printed switches and buzzer units – making it the ideal system for commercial and public building applications.

Easy to fit and change, Grid Plus modules simply clip into place from the front of the mounting frame.

### HOW TO SPECIFY

A modular switching and monitoring wiring device system. Modules to have a simple 'clip fit' mechanism to hold them to the mounting frame, which do not require specialist tools and are fitted in to place from the front. Accompanying front plates must be able to hold up to 24 modules in a variety of aesthetics and finishes. All products must be made in the UK and provided with a 20 year guarantee.

## FEATURES & BENEFITS

### VAST RANGE

Comprehensive range of frontplates and grid modules from a single manufacturer making the range flexible and suitable for more installations.

### EASE OF INSTALLATION

Grid modules 'clip fit' to the frame without any requirement for special tools. They can be moved, removed or replaced whilst the frame is fitted to the box making installation or replacement speedy and simple.

### DURABILITY







Grid frames are made from pre-galvanised steel to provide extra high corrosion resistance, preventing tarnishing and ensuring the longevity of the product.

### SAFETY

Grid frames earth terminal capacity exceeds current standards for total safety assurance. All products are 100% tested before delivery for confidence of a 'fit and forget' installation. 20 year guarantee (10 years for electronic devices).

# Grid Plus

<p><b>Blank Inserts</b></p> <p>1 MODULE</p>	<p><b>Switch Modules 10 Amp</b></p> <p>1 WAY SP 10 AMP</p> <p>1 WAY DP 10 AMP</p> <p>2 WAY SP 10 AMP</p> <p>2 WAY RETRACTIVE SWITCH SP 10 AMP</p> <p>2 WAY RED RETRACTIVE SWITCH SP 10 AMP</p>
---	--

FINISHES						
WHITE	K4880WHI 10	K4881WHI 10	K4981WHI 10	K4882WHI 10	K4885WHI 10	K4885RED 1
BLACK	K4880BLK 10	K4881BLK 10	K4981BLK 10	K4882BLK 1	K4885BLK 10	K4885REDB 1
GRAPHITE	K4880GRA 10	K4881GRA 10		K4882GRA 10		

These switches do NOT have to be derated when used with fluorescent or inductive loads.  
BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads.  
BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads.  
BS EN 60669-1:1999

**NOTE**  
Push switches are not designed for fluorescent loads.  
BS EN 60669-1:1999

**NOTE**  
Push switches are not designed for fluorescent loads.  
BS EN 60669-1:1999

B suffix on the list number denotes black inserts



Technical Hotline  
+44 (0)1268 563720

# Grid Plus

2 WAY  
RETRACTIVE  
SWITCH  
MARKED WITH  
BELL SYMBOL SP  
10 AMP

2 WAY  
RETRACTIVE  
SWITCH MARKED  
'PRESS' SP  
10 AMP

2 WAY  
CENTRE OFF  
RETRACTIVE  
SWITCH SP  
10 AMP

## Switch Modules 20 Amp

1 WAY SP  
20 AMP

1 WAY PUSH TO  
MAKE DP  
20 AMP

1 WAY  
RED ROCKER  
PUSH TO MAKE DP  
20 AMP



<b>K4885BWHI</b>	<b>1</b>	<b>K4885PWHI</b>	<b>10</b>	<b>K4900WHI</b>	<b>10</b>	<b>K4891WHI</b>	<b>10</b>	<b>K4910WHI</b>	<b>10</b>	<b>K4910RED</b>	<b>10</b>
<b>K4885BBLK</b>	<b>1</b>	<b>K4885PBLK</b>	<b>1</b>	<b>K4900BLK</b>	<b>10</b>	<b>K4891BLK</b>	<b>10</b>	<b>K4910BLK</b>	<b>10</b>	<b>K4910REDB</b>	<b>1</b>
						<b>K4891GRA</b>	<b>10</b>				

**NOTE**  
Push switches are not  
designed for fluorescent loads.  
BS EN 60669-1:1999

**NOTE**  
Push switches are not  
designed for fluorescent  
loads.  
BS EN 60669-1:1999

**NOTE**  
Push switches are not  
designed for fluorescent  
loads.  
BS EN 60669-1:1999

These switches do NOT have  
to be derated when used with  
fluorescent or inductive loads.  
BS EN 60669-1:1999

**NOTE**  
Push switches are not designed  
for fluorescent loads.  
BS EN 60669-1:1999

**NOTE**  
Push switches are not  
designed for fluorescent loads.  
BS EN 60669-1:1999

B suffix on the list  
number denotes  
black inserts

# Grid Plus

## Switch Modules 20 Amp

- 1 WAY PUSH TO BREAK RETRACTIVE DP 20 AMP
- 1 WAY RED ROCKER PUSH TO BREAK RETRACTIVE DP 20 AMP
- 2 WAY SP 20 AMP
- 2 WAY RED ROCKER SP 20 AMP
- 2 WAY SWITCH WITH INTEGRAL NEON LOCATOR SP 20 AMP
- 2 WAY AND CENTRE OFF SP 20 AMP

FINISHES						
WHITE	K4915WHI 10	K4915RED 10	K4892WHI 10	K4892RED 10	K4892LWHI 10	K4899WHI 10
BLACK	K4915BLK 10	K4915REDB 1	K4892BLK 10	K4892REDB 1	K4892LBLK 1	K4899BLK 10
GRAPHITE						

**NOTE**  
Push switches are not designed for fluorescent loads.  
BS EN 60669-1:1999

**NOTE**  
Push switches are not designed for fluorescent loads.  
BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads.  
BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads.  
BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads.  
BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads.  
BS EN 60669-1:1999

B suffix on the list number denotes black inserts

B suffix on the list number denotes black inserts



Technical Hotline  
+44 (0)1268 563720

# Grid Plus

MODULAR  
WIRING DEVICES

RED ROCKER  
2 WAY AND  
CENTRE OFF SP  
20 AMP

INTERMEDIATE  
20 AMP

INTERMEDIATE  
RED ROCKER  
20 AMP

1 WAY DP  
20 AMP

1 WAY  
NEON DP  
20 AMP

1 WAY  
WITH WINDOW DP  
20 AMP



<b>K4899RED</b> 10	<b>K4893WHI</b> 10	<b>K4893RED</b> 10	<b>K4896WHI</b> 10	<b>K4896NWHI</b> 1	<b>K4896WWHI</b> 10
<b>K4899REDB</b> 1	<b>K4893BLK</b> 10	<b>K4893REDB</b> 10	<b>K4896BLK</b> 10	<b>K4896NBLK</b> 1	<b>K4896WBLK</b> 10
			<b>K4896GRA</b> 10	<b>K4896NGRA</b> 1	

These switches do NOT have to be derated when used with fluorescent or inductive loads. BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads. BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads. BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads. BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads. BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads. BS EN 60669-1:1999

B suffix on the list number denotes black inserts

B suffix on the list number denotes black inserts

# Grid Plus

## Switch Modules 20 Amp

1 WAY  
RED ROCKER DP  
20 AMP



## Printed Modules with and without Neon

1 WAY  
BOILER DP  
20 AMP



1 WAY  
BOILER  
NEON DP  
20 AMP



1 WAY  
DISHWASHER DP  
20 AMP



1 WAY  
DISHWASHER  
NEON DP  
20 AMP



### FINISHES

WHITE

**K4896RED**

**10**

**K4896BRWHI**

**1**

**K4896NBRWHI**

**1**

**K4896DWWHI**

**1**

**K4896NDWWHI**

**1**

BLACK

**K4896REDB**

**1**

**K4896BRBLK**

**1**

**K4896NBRBLK**

**1**

**K4896DWBLK**

**1**

**K4896NDWBLK**

**1**

These switches do NOT have to be derated when used with fluorescent or inductive loads.  
BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999



Technical Hotline  
+44 (0)1268 563720

# Grid Plus

MODULAR  
WIRING DEVICES

1 WAY  
COOKER HOOD DP  
20 AMP

1 WAY  
COOKER HOOD  
NEON DP  
20 AMP

1 WAY  
FAN DP  
20 AMP

1 WAY FAN  
NEON DP  
20 AMP

1 WAY  
FRIDGE DP  
20 AMP



<b>K4896CHWHI</b> 1	<b>K4896NCHWHI</b> 1	<b>K4896FNWHI</b> 1	<b>K4896NFNWHI</b> 1	<b>K4896FGWHI</b> 1
<b>K4896CHBLK</b> 1	<b>K4896NCHBLK</b> 1	<b>K4896FNBLK</b> 1	<b>K4896NFNBLK</b> 1	<b>K4896FGBLK</b> 1

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

# Grid Plus

## Printed Modules with and without Neon






1 WAY  
FRIDGE  
NEON DP  
20 AMP

1 WAY  
FREEZER DP  
20 AMP

1 WAY  
FREEZER  
NEON DP  
20 AMP

1 WAY  
FRIDGE  
FREEZER DP  
20 AMP

1 WAY  
FRIDGE FREEZER  
NEON DP  
20 AMP

FINISHES					
WHITE	K4896NFGWHI 1	K4896FZWHI 1	K4896NFZWHI 1	K4896FFWHI 1	K4896NFFWHI 1
BLACK	K4896NFGBLK 1	K4896FZBLK 1	K4896NFZBLK 1	K4896FFBLK 1	K4896NFFBLK 1

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999





Technical Hotline  
+44 (0)1268 563720

# Grid Plus

MODULAR  
WIRING DEVICES

1 WAY  
WASTE  
DISPOSAL DP  
20 AMP

1 WAY  
WASTE DISPOSAL  
NEON DP  
20 AMP

1 WAY  
WASHING  
MACHINE DP  
20 AMP

1 WAY  
WASHING  
MACHINE  
NEON DP  
20 AMP

1 WAY  
TUMBLE  
DRYER DP  
20 AMP

1 WAY  
TUMBLE DRYER  
NEON DP  
20 AMP



<b>K4896WDWHI</b> 1	<b>K4896NWDWHI</b> 1	<b>K4896WMWHI</b> 1	<b>K4896NWMWHI</b> 1	<b>K4896TDWHI</b> 1	<b>K4896NTDWHI</b> 1
<b>K4896WDBLK</b> 1	<b>K4896NWDBLK</b> 1	<b>K4896WMBLK</b> 1	<b>K4896NWMBLK</b> 1	<b>K4896TDBLK</b> 1	<b>K4896NTDBLK</b> 1

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

# Grid Plus

## Printed Modules with and without Neon

1 WAY  
WASHER DRYER DP  
20 AMP

1 WAY  
WASHER DRYER  
NEON DP  
20 AMP

1 WAY  
MICROWAVE DP  
20 AMP

1 WAY  
MICROWAVE  
NEON DP  
20 AMP

1 WAY  
HEATER DP  
20 AMP



### FINISHES

WHITE

K4896WDRWHI 1

K4896NDRWHI 1

K4896MWWHI 1

K4896NMWWHI 1

K4896HRWHI 1

BLACK

K4896WDRBLK 1

K4896NDRBLK 1

K4896MWBLK 1

K4896NMWBLK 1

K4896HRBLK 1

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999



Technical Hotline  
+44 (0)1268 563720

# Grid Plus

MODULAR  
WIRING DEVICES

1 WAY  
HEATER  
NEON DP  
20 AMP

1 WAY  
OVEN DP  
20 AMP

1 WAY  
OVEN NEON DP  
20 AMP

1 WAY  
HOB DP  
20 AMP

1 WAY  
HOB NEON DP  
20 AMP

1 WAY  
IMMERSSION  
HEATER DP  
20 AMP



<b>K4896NHRWHI</b> 1	<b>K4896OVWHI</b> 1	<b>K4896NOVWHI</b> 1	<b>K4896HBWHI</b> 1	<b>K4896NHBWHI</b> 1	<b>K4896IHWHI</b> 1
<b>K4896NHRBLK</b> 1	<b>K4896OVBLK</b> 1	<b>K4896NOVBLK</b> 1	<b>K4896HBBLK</b> 1	<b>K4896NHBLK</b> 1	<b>K4896IHBLK</b> 1

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

# Grid Plus

## Printed Modules with and without Neon

1 WAY  
IMMERSION  
HEATER NEON DP  
20 AMP

1 WAY  
PLINTH HEATER DP  
20 AMP

1 WAY  
PLINTH HEATER  
NEON DP  
20 AMP

1 WAY  
WORKTOP  
LIGHTING DP  
20 AMP

1 WAY  
WORKTOP  
LIGHTING  
NEON DP  
20 AMP

FINISHES					
WHITE	<b>K4896NIHWHI</b> 1	<b>K4896PHWHI</b> 1	<b>K4896NPHWHI</b> 1	<b>K4896WLWHI</b> 1	<b>K4896NWLWHI</b> 1
BLACK		<b>K4896PHBLK</b> 1		<b>K4896WLBLK</b> 1	<b>K4896NWLBLK</b> 1

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999



Technical Hotline  
+44 (0)1268 563720

# Grid Plus

MODULAR  
WIRING DEVICES

1 WAY  
WINE COOLER DP  
20 AMP

1 WAY  
WINE COOLER  
NEON DP  
20 AMP

1 WAY  
WARMING  
DRAWER DP  
20 AMP

1 WAY  
WARMING  
DRAWER NEON DP  
20 AMP

1 WAY  
COFFEE  
MACHINE DP  
20 AMP

1 WAY  
COFFEE MACHINE  
NEON DP  
20 AMP



<b>K4896WCWHI</b> 1	<b>K4896NWCWHI</b> 1	<b>K4896WDAWHI</b> 1	<b>K4896NWDAWHI</b> 1	<b>K4896CMWHI</b> 1	<b>K4896NCMWHI</b> 1
<b>K4896WCBLK</b> 1	<b>K4896NWCBLK</b> 1	<b>K4896WDABLK</b> 1	<b>K4896NWDABLK</b> 1	<b>K4896CMBLK</b> 1	<b>K4896NCMBLK</b> 1

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

BS EN 60669-1:1999

# Grid Plus

## Secret Key Switch Modules






INTERMEDIATE  
SECRET KEY  
SWITCH  
20 AMP

2 WAY  
SECRET KEY  
SWITCH SP  
20 AMP

2 WAY  
SECRET KEY  
SWITCH MARKED  
'EMG LTG TEST' SP  
20 AMP

1 WAY  
SECRET KEY  
SWITCH DP  
20 AMP

EMERGENCY  
LIGHTING DP  
20 AMP

FINISHES					
WHITE	<b>K4894WHI</b> 10	<b>K4898WHI</b> 10	<b>K4898ELWHI</b> 10	<b>K4917WHI</b> 10	<b>K4917ELWHI</b> 10
BLACK	<b>K4894BLK</b> 1	<b>K4898BLK</b> 1	<b>K4898ELBLK</b> 1	<b>K4917BLK</b> 1	

These switches do NOT have to be derated when used with fluorescent or inductive loads. BS EN 60669-1:1999 Key (3405ZIC) is supplied.

These switches do NOT have to be derated when used with fluorescent or inductive loads. BS EN 60669-1:1999 Key (3405ZIC) is supplied.

These switches do NOT have to be derated when used with fluorescent or inductive loads. BS EN 60669-1:1999 Key (3405ZIC) is supplied.

These switches do NOT have to be derated when used with fluorescent or inductive loads. BS EN 60669-1:1999 Key (3405ZIC) is supplied.

These switches do NOT have to be derated when used with fluorescent or inductive loads. BS EN 60669-1:1999 Key (3405ZIC) is supplied.



Technical Hotline  
+44 (0)1268 563720

# Grid Plus

MODULAR  
WIRING DEVICES

## Indicator Unit Modules

2 WAY  
SECRET KEY  
SWITCH (BIASED  
1 WAY) SP  
**20 AMP**

200-250V  
NEON

200-250V  
NEON

200-250V  
FLUORESCENT

21-36V  
FILAMENT

21-36V  
FILAMENT



<b>K4918WHI</b>	<b>10</b>	<b>K4889RED</b>	<b>10</b>	<b>K4889AMB</b>	<b>10</b>	<b>K4889GRN</b>	<b>10</b>	<b>K4836RED</b>	<b>10</b>	<b>K4836AMB</b>	<b>10</b>
<b>K4918BLK</b>	<b>10</b>	<b>K4889REDB</b>	<b>1</b>								

These switches do NOT have to be derated when used with fluorescent or inductive loads. BS EN 60669-1:1999 Key (3405Z1C) is supplied.

BS 5733:2010

BS 5733:2010

BS 5733:2010

BS 5733:2010

BS 5733:2010

B suffix on the list number denotes black inserts

Will Operate On Both A.C. And D.C

# Grid Plus

## Indicator Unit Modules

21-36V  
FILAMENT

## Dimmer Switch Modules

TUNGSTEN FILAMENT AND LOW VOLTAGE LIGHTING

40W/VA-220W/  
180VA MAX  
230V A.C., 50HZ  
1 MODULE

60W/VA-400W/  
320VA MAX  
230V A.C., 50HZ  
2 MODULE

0-10V/1-10V  
FLUORESCENT  
CONTROLLER  
1 MODULE

40-220W/180VA/  
4-70W  
LED INTELLIGENT  
DIMMER  
1 MODULE



### FINISHES

WHITE

K4836GRN

10

K4501WHILV

1

K4500WHILV

1

K4499WHI

K4511WHILV

1

BLACK

K4501BLKLV

1

K4500BLKLV

1

K4499BLK

K4511BLKLV

1

BS 5733:2010

These dimmers employ the latest microcontroller based circuitry to provide electronic soft start and overload protection. Suitable for use with good quality electronic or wire wound transformers. Can also be used with good quality mains voltage halogen lamps incorporating GU10 bases. Please check with lamp manufacturer to determine suitability.

K4501WHI/BLK Max. No. of low voltage T/F's – 3

K4500WHI/BLK Max. No. of low voltage T/F's – 5

**Not suitable for fluorescent loads.**

All dimmers have push on – push off, 2 way switches, integral with rotary control.

#### NOTE

Refer to technical section for derating.

Conform to BS EN 60669-2-1 and BS EN 55015

MK Fluorescent Grid Dimmers are low voltage controllers for connection to 1-10V controllable ballasts.

K4511WHILV 1 Module 2 Way 40-220W/180VA/4-70W LED Intelligent Dimmer.

K4511BLKLV 1 Module 2 Way 40-220W/180VA/4-70W LED Intelligent Dimmer.

Will Operate On Both  
A.C. And D.C





Technical Hotline  
+44 (0)1268 563720

# Grid Plus

## Accessory Modules

SINGLE TV  
CO-AXIAL  
OUTLET  
NON-ISOLATED

SINGLE TV  
CO-AXIAL  
OUTLET  
ISOLATED


200-250V A.C.  
BUZZER UNIT

21-36V A.C.  
BUZZER UNIT

16A  
CORD  
OUTLET

13A  
FUSE UNIT

13A  
FUSE UNIT WITH  
TAMPERPROOF  
SCREW



**K4520WHI 10**

**K4521WHI 10**

**K4000WHI 10**

**K4001WHI 10**

**K4886WHI 10**

**K4890WHI 10**

**K4890KOWHI 10**

**K4520BLK 10**

**K4521BLK 10**

**K4886BLK 10**

**K4890BLK 10**

**K4890KOBK 10**

For direct connection to TV or FM aerial co-axial download. NOT to be used in same enclosure as mains exceeding 50V. BS 3041:1977 IEC 169-2:1965 BS 5733:2010 where applicable.

For direct connection to TV or FM aerial co-axial download. NOT to be used in same enclosure as mains exceeding 50V. BS 3041:1977 IEC 169-2:1965 BS 5733:2010 where applicable.

**SOUND OUTPUT LEVEL**  
Av 61 db @ 15 feet.  
BS 5733:2010

**SOUND OUTPUT LEVEL**  
Av 61 db @ 15 feet.  
BS 5733:2010

Complete with 3 pairs of terminals. The supply terminals are suitable for up to 2 x 2.5mm<sup>2</sup> or 1 x 4mm<sup>2</sup> solid conductors. The load terminals are suitable for one 1.5mm<sup>2</sup> flexible cord. A cord grip is also fitted. BS 5733:2010

Fuse carrier comes with 13A cartridge fuse link to BS 1362. BS 5733:2010

Fuse carrier comes with 13A cartridge fuse link to BS 1362. BS 5733:2010 Key (3405ZIC) is supplied.

## Grid Plus






SELECTION CHART	1 	2 	3 	4 	6 
	COVER PLATES				
LOGIC PLUS™	K3631WHI/GRA 10	K3632WHI/GRA 10	K3633WHI/GRA 10	K3634WHI/GRA 10	K3636WHI/GRA 1
METALCLAD PLUS™	K3491ALM 10	K3492ALM 10	K3493ALM 5	K3494ALM 5	K3496ALM 1
ALBANY PLUS™ SEE ALBANY PLUS PG 167	K3431 1	K3432 1	K3433 1	K3434 1	K3436 1
EDGE™ SEE EDGE PG 130	K14331 1	K14332 1	K14333 1	K14334 1	K14346 1
ASPECT SEE ASPECT PG 98	K24331 1	K24332 1	K24333 1	K24334 1	K24346 1
BOXES					
LOGIC PLUS FLUSH	891ALM 10 2 X 20MM KNOCKOUTS	891ALM 10 2 X 20MM KNOCKOUTS	892ALM 5 4 X 20MM, 4 X 25MM KNOCKOUTS	892ALM 5 4 X 20MM, 4 X 25MM KNOCKOUTS	893ALM 5 4 X 20MM, 4 X 25MM KNOCKOUTS
	821ALM 10 WITHOUT KNOCKOUTS	821ALM 10 WITHOUT KNOCKOUTS	822ALM 5 WITHOUT KNOCKOUTS	822ALM 5 WITHOUT KNOCKOUTS	823ALM 5 WITHOUT KNOCKOUTS
LOGIC PLUS SURFACE METAL	K2213ALM 5 5 X 20MM KNOCKOUTS	K2213ALM 5 5 X 20MM KNOCKOUTS	K2214ALM 5 7 X 20MM KNOCKOUTS	K2214ALM 5 7 X 20MM KNOCKOUTS	
	K2211ALM 5 WITHOUT KNOCKOUTS	K2211ALM 5 WITHOUT KNOCKOUTS	K2212ALM 5 WITHOUT KNOCKOUTS	K2212ALM 5 WITHOUT KNOCKOUTS	
LOGIC PLUS SURFACE MOULDED	K2140WHI 10 WITHOUT KNOCKOUTS	K2140WHI 10 WITHOUT KNOCKOUTS	K2142WHI 5 WITHOUT KNOCKOUTS	K2142WHI 5 WITHOUT KNOCKOUTS	
LOGIC PLUS SURFACE PVC	K2181WHI 10 WITHOUT KNOCKOUTS	K2181WHI 10 WITHOUT KNOCKOUTS	K2183WHI 5 WITHOUT KNOCKOUTS	K2183WHI 5 WITHOUT KNOCKOUTS	
METALCLAD PLUS & ALBANY PLUS SURFACE	K8891ALM 10 5 X 20MM KNOCKOUTS	K8891ALM 10 5 X 20MM KNOCKOUTS	K8892ALM 5 7 X 20MM KNOCKOUTS	K8892ALM 5 7 X 20MM KNOCKOUTS	K8893ALM 5 4 X 20MM, 4 X 25MM KNOCKOUTS
	K8821ALM 10 WITHOUT KNOCKOUTS	K8821ALM 10 WITHOUT KNOCKOUTS	K8822ALM 5 WITHOUT KNOCKOUTS	K8822ALM 5 WITHOUT KNOCKOUTS	K8823ALM 1 WITHOUT KNOCKOUTS
	K8901ALM 5 DEEP BOX 5 X 20MM KNOCKOUTS	K8901ALM 5 DEEP BOX 5 X 20MM KNOCKOUTS	K8902ALM 5 DEEP BOX 4 X 20MM, 4 X 25MM KNOCKOUTS	K8902ALM 5 DEEP BOX 4 X 20MM, 4 X 25MM KNOCKOUTS	
ALBANY PLUS ASPECT & EDGE FLUSH	891ALM 10 2 X 20MM KNOCKOUTS	891ALM 10 2 X 20MM KNOCKOUTS	892ALM 5 4 X 20MM, 4 X 25MM KNOCKOUTS	892ALM 5 4 X 20MM, 4 X 25MM KNOCKOUTS	893ALM 5 4 X 20MM, 4 X 25MM KNOCKOUTS
	821ALM 10 WITHOUT KNOCKOUTS	821ALM 10 WITHOUT KNOCKOUTS	822ALM 5 WITHOUT KNOCKOUTS	822ALM 5 WITHOUT KNOCKOUTS	823ALM 5 WITHOUT KNOCKOUTS
GRIDS					
EDGE & ASPECT COVER PLATES INCLUDE AN INTEGRAL GRID	K3701 10 	K3702 10 	K3703 10 	K3704 10 	K3703 X 2 10 



Technical Hotline  
+44 (0)1268 563720

# Grid Plus

MODULAR  
WIRING DEVICES

8 		9 		12 		18 		24 		Architrave 	
K3638WHI/GRA 1				K3639WHI 1							
K3498ALM 1		K3499ALM 1		K3502ALM 1		K3508ALM 1		K3514ALM 1			
K3438 1		K3439 1		K3442 1		K3448 1		K3454 1		K3401 1	
K14348 1		K14349 1		K14352 1		K14358 1		K14354 1		K14401 1	
K24348 1											
893ALM 5 4 X 20MM, 4 X 25MM KNOCKOUTS				895ALM 1 5 X 20MM, 5 X 25MM KNOCKOUTS							
823ALM 5 WITHOUT KNOCKOUTS				825ALM 1 WITHOUT KNOCKOUTS							
K8893ALM 5 4 X 20MM, 4 X 25MM KNOCKOUTS		K8895ALM 1 5 X 20MM, 5 X 25MM KNOCKOUTS		K8895ALM 1 5 X 20MM, 5 X 25MM KNOCKOUTS		K8898ALM 1 5 X 20MM, 5 X 25MM KNOCKOUTS		K8900ALM 1 6 X 20MM, 6 X 25MM KNOCKOUTS			
K8823ALM 5 WITHOUT KNOCKOUTS		K8825ALM 1 WITHOUT KNOCKOUTS		K8825ALM 1 WITHOUT KNOCKOUTS		K8826ALM 1 WITHOUT KNOCKOUTS		K8827ALM 1 WITHOUT KNOCKOUTS			
893ALM 5 4 X 20MM, 4 X 25MM KNOCKOUTS		895ALM 1 5 X 20MM, 5 X 25MM KNOCKOUTS		895ALM 1 5 X 20MM, 5 X 25MM KNOCKOUTS		898ALM 1 6X 32MM KNOCKOUTS		900ALM 1 6X 32MM KNOCKOUTS		3895ZIC 5 3 X 20MM KNOCKOUTS (FOR FLUSH MOUNTING ONLY)	
823ALM 5 WITHOUT KNOCKOUTS		825ALM 1 WITHOUT KNOCKOUTS		825ALM 1 WITHOUT KNOCKOUTS						3891ZIC 5 1 GANG ARCHITRAVE BOXES FOR EDGE	
K3704 X 2 10		K3703 X 3 10		K3704 X 3 10		K3706 X 3 10		K3706 X 4 10		K3708ZIC 10	
